

**GOVERNMENT OF THE DISTRICT OF COLUMBIA
DEPARTMENT OF GENERAL SERVICES**



ATTACHMENT B

Performance Specifications

Chair - Student - S1



Department of General Services

Standard Features

Frame

- 15-gauge steel tubing welded to a 14-gauge steel plate
- Baked on enamel
- Cantilever legs/no tilt hardware

Shell

- Textured
- Colorfastness ensured through complete color impregnation
- Flex Back
- One-piece, contoured polypropylene shell

Glides

- Floor Saver Base by Carpin or equal

Warranty

- Lifetime

Features

- Optional book rack for 15" sh and up

Average Sizes

- 13" seat height recommended for Preschool and Kindergarten
- 15" seat heights recommended for 1st grade through 4th grade students
- 18" seat heights recommended for 4th grade through adult students

Green Certification

Performance Specifications

Chair- Multipurpose-S2



Department of General Services

Standard Features

Average Dimensions

- Width: 19 1/4"
- Depth: 21 1/4"

Frame

- 16-gauge steel tubing
- 14-gauge steel plate welded to tubing
- Chrome finish
- Optional: Electro statically epoxy finish

Shell

- Molded polypropylene seat and back
- Back shell has cut out

Features

- Colorfastness
- Ganging device
- Stackable
- Sled base with mar-resistant glides

Warranty

- Lifetime

Green Certification

Performance Specifications



Chair - Teacher - S3

Department of General Services

Standard Features

Average Dimensions

- Overall: 20" wide x 20" deep x 32" high
- Seat: 18" wide x 17" deep
- Seat Height 16" - 19"

Frame

- Swivel tilt
- Accepts Upholstered insert on shell seat/back
- One or two piece shell
- Integral arms

Upholstery

- Interchangeable seat and back cushion
- Crypton[®] green fabric - medium to dark color or equal

Features

- Pneumatic height adjustment
- Back tension adjustment

Warranty

- Lifetime

Green Certification

Performance Specifications



Chair - Guest - S4

Department of General Services

Standard Features

Average Dimensions

- Overall height: 32 3/4"
- Seat Depth: 19 1/2"
- Seat Width: 23"
- Overall Depth: 24"
- Overall Width: 24"
- Seat height: 17 1/2"

Frame

- 16-gauge steel tubing welded to a 14-gauge steel plate
- Steel or wood pan inner construction
- Sled Base or four legs

Features

- Integral Arm in black plastic
- Full or partial back upholstered
- Crypton™ Green Certified fabric - medium to dark color

Warranty

- Lifetime

Green Certification

Performance Specifications

Chair - Guest - S5

Wood Frame

(Principal Only)



Department of General Services

Standard Features

Average Dimensions

- Overall height: 30 1/2"
- Seat Depth: 21"
- Seat Width: 22"
- Overall Depth: 21 1/4"
- Overall Width: 25 1/2"
- Seat height: 18 1/4"

Frame

- Solid wood beech
- Steam bent
- Four legs contoured to arm
- Inner seat cushion with quality webbing
- High density commercial grade foam seat and back

- Optional Sled Base w/ securely attached glides
- Dowel and /or corner block construction

Features

- Wood back or frame with arms
- Wood Stain to match desking system
- Fully upholstered seat
- Crypton® green fabric - medium to dark color

Warranty

- Lifetime

Green Certification

Performance Specifications



Chair - Task - S6

Department of General Services

Standard Features

Average Dimensions

- Overall width 27"
- Overall depth 27"
- Overall height 38"
- Seat width 20"
- Seat depth 18"
- Seat height 16" - 19"
- Back width 23"
- Back height 22"

Upholstery

- Crypton® Green Certified fabric - medium to dark color or equal

Features

- Swivel tilt control
- Integral arms
- Pneumatic height adjustment
- Independent seat and back movement
- Carpet or hard caster base

Warranty

- Lifetime warranty

Green Certification

Performance Specifications

Chair - High back - S7 (Principal only)



Department of General Services

Standard Features

Average Dimensions

- Overall width 27"
- Overall depth 26"
- Overall height 38" to 45" (adjustable)

Green Certification

Features

- Swivel tilt control and carpet or hard caster base
- Aniline Leather
- Leather fully upholstered arms
- Variable back lock
- Pneumatic height adjustment
- Independent seat and back movement

Warranty

Performance Specifications



Chair Lounge - S8

Department of General Services

Standard Features

Average Dimensions

- Width: 25" to 35"
- Height: 37"
- Overall depth: 30"

Frame

- Steel / Maple Inner and Outer Construction
- Clean - out between seat and back

Features

- Tight seat and back cushion (no loose cushions)
- Solid hard maple arms (no upholstery)
- pass 1000 lbs. drop test
- On-site - replaceable components
- Crypton® green fabric - medium to dark color
- Heavy duty casters, optional
- Moisture barrier
- Fire barrier

Warranty

- Lifetime

Green Certification

Performance Specifications



Music Posture Chair -S9

Department of General Services

Standard Features

Average Dimensions

- Overall: 20" wide x 20" deep x 32" high
- Seat height: 18 1/2"

Frame

- 16-gauge square tube frame

Shell

- Wear resistant polypropylene

Glides

- Floor Saver Base by Carpin or equal

Features

- Optional folding tablet arms
- Optional book storage rack
- Posture back

Warranty

- Five years

Green Certification

Performance Specifications



Stool - S-11

Department of General Services

Standard Features

Average Dimensions

- Overall: 20" wide x 20" deep x 32" high
- Seat: 18" wide x 17" deep

Frame

- 15-gauge steel tubing welded to a 14-gauge steel plate
- One-piece, 1/4" thick contoured shell
- Made of high-impact polypropylene

Glides

- Floor Saver Base by Carpin or equal

Features

- Static-free
- Colorfastness ensured through complete color impregnation
- Glides
- Upholstered seat optional
- Medium to dark color
- Textured front and back
- 32" h seat and non-adjustable
- Foot Ring

Warranty

- Lifetime

Green Certification

Performance Specifications

Stool Adjustable - S12



Department of General Services

Standard Features

Average Dimensions

- Overall: 20" wide x 20" deep x max 32" high
- Seat: 18" wide x 17" deep

Frame

- 15-gauge steel tubing welded to a 14-gauge steel plate
- One-piece, 1/4" thick contoured shell
- Made of high-impact polypropylene

Glides

- Floor Saver Base by Carpin or equal

Features

- Colorfastness ensured through complete color impregnation
- Glides
- Non upholstered seat
- Medium to dark color
- Textured seat
- 32"h max. seat and adjustable
- Foot Ring

Warranty

- Lifetime

Green Certification

Performance Specifications



Bookshelf - C1 Adj. Height Shelves

Department of General Services

Standard Features

Steel Basic Shell

- 18-gauge steel
- The reinforcement of the bottoms have (4) threaded welded nuts to accept adjustable leveling glides
- The liners flush and punched to accept shelf brackets starting approximately 8" from the bottom of the cabinet

Wood Basic Shell

- Wood grains and colors are uniform
- 1" increment shelf adjustment
- Ends are secured with mitered mortise/tenon and securely glued
- 4" h bottom base front
- Bookcases over 42" h have one fixed shelf which can be relocated in the field
- Backs are flush mounted to rabbeted top and secured at ends and bottom with staples or brads

Glides

- Adjustable

Shelves

- Adjustable on 1" increments
- Weight capacity 500 pounds per shelf
- Ends are secured with mitered mortise/tenon and securely glued

Standard Paint or Wood Finishes

- The paint is baked on to provide a scratch and stain resistant surface on the metal bookcases
- Interior components and accessories are painted a black finish on the metal bookcases finish

Average Dimensions and Weight

- Depths: 12", 15" and 18" available
- Height: varies to accommodate bid specifications

Standard Warranty

- Lifetime

Green Certification

Performance Specifications



Cabinet - Chemical - C2

Department of General Services

Standard Features

Steel Basic Shell

- Separate and identify Class III combustibles
- 1/2" shelf adjustment on numbered slots
- Optional polyethylene shelf tray with a slightly raised curved edge to contain spills
- To resist aggressive chemicals, pesticide cabinets also include polyethylene trays attached to galvanized steel shelves and a polyethylene liner for the bottom shelf

Green Certification

Average Measurements

- 45 gal. 43" x 18" x 65"
- 12 gal. 23" 1/4 x 18" x 35"

Performance Specifications



Cabinet - Tall - C3

Department of General Services

Standard Features

Plastic Laminate Basic Shell

- Look of wood grains and colors are uniform
- 1" increment shelf adjustment
- Ends are secured with mitered mortise/tenon and securely glued
- 4" h bottom base front
- Bookcases over 42" h have one fixed shelf which can be relocated in the field
- Backs are flush mounted to rabbeted top and secured at ends & bottom with staples or brads
- Backs are flush mounted to rabbeted top and

Glides

- Adjustable

Shelves

- Adjustable on 1" increments
- Optional. 3/4" thick glued-up hardwoods without bow, sag or twist
- A shelf holds up to 500 pounds even distribution without deformation
- Ends are secured with mitered mortise/tenon and securely glued

Standard Paint or Wood Finishes

- Optional: Hardwood veneer stain and catalyzed finish

Average Dimensions and Height

- Depth: 18"
- Width: 36"
- Height: varies to accommodate bid specs

Hinges and closers

- Concealed & durable hinges to support doors with Mepla, Piano or Euro hinges. Overlay door.
- Door opener is touch latch or decorative surface pull

Standard Warranty

- Lifetime

Green Certification

Performance Specifications



Cart - Multimedia - C6

Department of General Services

Standard Features

Basic Shell

- One door
- Lockable
- Mobile
- 18 x 24" rubber mat
- 4" diameter ball bearing casters with 2 locking brakes and mar resistant black rubber casters
- (4) 14" gauge steel 19" legs welded to the cabinet
- Each leg allows for 4" increment top shell height adjustment
- A pull out notebook computer shelf
- All welded
- 20-gauge steel

Green Certification

Average Dimensions

- Width: 24"
- Depth: 18"
- Height: 26" to 42"

Standard Warranty

- Lifetime

Performance Specifications



Desk - Administration - C7

Department of General Services

Standard Features

Desk Shell

- Consists of a work surface top, two end panels, full modesty panel and wire management channel and central locking
- 20-gauge steel
- Modular components
- Maximum 30" x 66" desk shell with mobile pedestal and optional left or right return shell

Laminate Top

- 1 1/4" high pressured laminate with matching vinyl edge

Components

- Mobile 27" h pedestal with lock w/ 5th wheel for stability. If not then add counter balance weight
- Non-handed Executive return 24" x 42"

Warranty

Standard Paint Finishes

- The paint is baked on to provide a scratch and stain resistant surface
- Interior components and accessories are painted a black finish

Wire Management

- Grommet on rear center of return and main desk

Green Certification

Performance Specifications



File Cabinet - Fire Proof - C8

Department of General Services

Standard Features

Insulation

- 100% gypsum, reinforced by a 1" x 2" lattice made of 14 gauge galvanized welded steel wire between each drawer

Finish

- Electrostatic powder coating applied to all sides
- Chrome pull recessed pull with label

Drawer Interior

- High sides for hanging folder frames.
- Follower block

Warranty

- Three years

Average Dimensions

Vertical File Cabinet

• Four Drawer Vertical External Dimensions:

- Height - 52 3/4"
- Width - 17 3/4"
- Depth - 25 1/16"

• Vertical Filing Dimensions (per drawer):

- Height - 10 3/8"
- Width - 12 3/16"
- Depth - 19 11/16"

Lateral File Cabinet

• Four Drawer Vertical External Avg. Dimensions:

- Height - 53-5/8"
- Width - 43" w / 37" w or 31" w
- Depth - 20"

• Lateral Filing Dimensions (per drawer):

- All 43" wide lateral drawers are 10-1/4" high x 38-3/8" wide x 15" deep inside. (3.4 cu ft)

Other drawers sizes available if required:

- All 36" wide lateral drawers 10-1/4" high x 31-3/8" wide x 15" deep inside. (2.8 cu ft)

- All 30" wide lateral drawers are 10-1/4" high x 25-3/16" wide x 15" deep inside. (2.2 cu ft)

Performance Specifications



Desk - Student - Triangular- C9

Département of General Services

Standard Features

Frame

- Lower tubing in bright chrome that locks with a 1 inch increments
- Adjustable range of legs height 24" to 32" h
- Cantilever legs with non tilt hardware

Top

- Laminate or solid molded thermo set plastic with pencil groove
- Work surface has curved corners and triangle
- Laminate top 3/4 inch thick

Green Certification

Standard Warranty

- Lifetime

Glides

- same as student chair

Performance Specifications

Desk - Student - Rectangular - C9a



Department of General Services

Standard Features

Frame

- Lower tubing in bright chrome that locks with a 1 inch increments
- Adjustable range of legs height 24" to 32"
- Cantilever legs with non tilt hardware

Top

- The top laminate or solid molded thermo set or plastic Laminate
- Work surface has curved corners
- Laminate top 3/4 inch thick by 19 inches by 26 inches

Green Certification

Standard Warranty

- Lifetime

Glides

- same as student chair

Performance Specifications

Desk - Teacher - C10



Department of General Services

Standard Features

Configuration

- Consists of a rectangular work surface top, mobile base with locking partial locking casters.
- Modesty Panel
- Mobile Pedestal with lock

Finish

- Powder Coat is baked on chassis
- High Pressured Laminate Top with Vinyl Edge

Storage - Mobile Pedestal

- Counter balance weight on 5th caster
- Baked enamel finish
- 27" x 22" d Mobile box/box file pedestal with lock
- 18 gauge steel shell and drawers

Green Certification

Standard Paint Finishes

- The paint is baked on to provide a scratch and stain resistant surface
- Interior components and accessories are painted a black finish.

Average Dimensions

- 30" x 48" standard, unless otherwise specified

Standard Warranty

- Lifetime of product

Performance Specifications



Desk Wood - C11 (Principal only)

Department of General Services

Standard Features

Veneer

- Book matched veneer on all surfaces
- Catalyzed varnish process

Drawer Construction

- Dove tailed box and file drawers
- 1/16 inch wood sides and 3/16 inch wood bottoms

Drawer Suspension

- Full extension slides

File Drawers, Full Pedestal and Storage

- Accommodates legal and letter
- Full extended drawer suspension
- Keyed alike locks

Edges

- Various choices of wood edges

Green Certification

Grommets

- Round located center rear of all surfaces

Components consist of the following:

- Main desk with recessed modesty on approach
- Bridge or Return, credenza, pedestals, lateral file cabinet, wardrobe, overhead with task light and tack-board

Finishes

- Choice of finishes, Maple, Beech, Cherry & Walnut

Choice of Pulls

- Choice of ADA pulls, Black, Satin & Polished

Keying Options

- Keyed alike per room

Standard Warranty

- Lifetime

Performance Specifications



4 Drawer Vertical File Cabinet - C12

Department of General Services

Standard Features

Basic Shell

- The top and shell is fabricated from 18 - gauge
- The reinforcement of the bottoms have (4) threaded welded nuts to accept adjustable leveling glides
- Leveled and ganged at time on installation

Glides

- Adjustable: On the inside by using a 1/4" nut runner or socket wrench

Drawer Suspensions

- Back of drawer extend clear of the front face of interior cabinet
- Steel ball bearings per side

Green Certification

Standard Warranty

- Lifetime

Keying

- Keyed alike, if multiple same vendor cylinders apply

Drawers

- Constructed using 22- gauge steel, formed 7/8" thick on the leading and trailing edges to enhance strength

Standard Paint Finishes

- The paint is baked on to provide a scratch and stain resistant surface
- Interior components and accessories are painted a durable finish

Sizes:

- Legal or letter width

Interlock

Performance Specifications



File Cabinet - Lateral - C12a

Department of General Services

Standard Features

Shell

- 18 gauge or stronger steel front back, sides, top and bottom
- Interlock mechanism which permits only one drawer to be opened at a time
- Leveled and ganged at time of installation

Leveling glides

- Four threaded welded nuts to accept leveling glides that can be adjusted from inside and outside

Drawer

- Sound absorbing material inside the door to provide quiet operation
- Integral pull
- Effortless operation
- Punched drawer interior for side to side file rods
- Double wall steel drawer front construction
- Central drawer locking mechanism
- Pull out drawer up to four drawers
- Fifth drawer receding and pull – out shelf
- Drawer bottom perforated to receive drawer dividers
- Interior accessories for hanging file folder frames legal or letter - Front to back or side to side
- Securely attached bottom in all drawers
- Central locking mechanism

Standard Warranty

- Lifetime

Green Certification

Paint Finishes

- Paint is baked on to provide a scratch and stain resistant finish
- Textured surface to minimize visibility of finger prints and smudges
- Medium to dark color to minimize stain and marks
- Interior shell is painted to match exterior color
- Interior components and accessories are painted in black finish

Drawer Suspensions

- Back of the drawer to extend clear of the front face of the cabinet
- Retaining device to hold the drawer in a closed position

Locks

- The cylinders are keyed- alike to same manufacturer's products in the room

Additional Materials:

- Wood Veneer with book match and catalyzed finish (Principal Only)

Average Dimensions:

Steel File cabinets:

Laterals: 18"d x 30"w or 42"w with front to back file rods for letter files

18"d x 36"w with side to side file rods

Wood File cabinets to match Principals Casegoods:

Laterals: 24"d x 30"w or 42"w with front to back file rods for letter files. Four drawers

24"d x 36"w with side to side file rods

Performance Specifications



Wardrobe - C13

Department of General Services

Standard Features

Basic Shell

- Standard laminate construction is Grade A particle board core finished plain interior

Leveling glides

- Four threaded welded nuts to accept leveling glides that can be adjusted from inside or outside the cabinets

Door

- Sound absorbing material inside the door to provide quiet operation
- Integral pull
- Effortless operation
- Medium to dark color to minimize stain and mars
- Prevent the doors from contacting an adjacent cabinet door
- 18" w door hinged right or left with mirror panel
- Concealed door hinges
- 36" w two door hinged right and left
- Central locking mechanism

Warranty

- 10 years warranty

Interior

- Interior components and accessories are painted in solid color melamine interior finish

Additional Materials:

- Wood Veneer with book match and catalyzed finish

Interior

- Coat rod with upper shelf 24"w
- Coat rod right & vertical divider w/ adjustable shelves left, 36"w

Locks

- The cylinders are keyed- alike to same manufacturer's products in the room
- Tamper proof locks

Average Dimensions:

Laminate Wardrobe/ Storage cabinets:

24"d x 36"w x 72"h

24"d x 23"w x 72"h

Green Certification

Performance Specifications

Rack - Drying - C14



Department of General Services

Standard Features

Frame

- Single or double sided
- Powder coated metal frame - rust resistant
- Spacer bumpers maintain the rack's parallel spacing in up and down position
- Mobile on casters
- Powder coated

Average Dimension

- Shelves 20" or 24"d

Warranty

- Lifetime

Performance Specifications

Shelving - Tall - C15



Department of General Services

Standard Features

Average Dimensions

- 84" high
- Shelves: 36" wide x 12", 18", 24" deep

Frame

- 18-gauge cold rolled steel
- Shelf capacity: 500 lbs

Green Certification

Features

- Includes 6 shelves, 4 posts, 24 clips, and 3 braces
- Dove gray baked enamel finish
- Shelf height adjustable from 6" to 84"
- Starters and add-ons

Standard Warranty

- Seven years or lifetime of products

Performance Specifications

Shelving Greenware - C16



Department of General Services

Standard Features

Average Dimensions

- Max height: 72"
- Shelf depths range from 14" to 36"

Frame

- Open wire design allows free circulation of air
- Shelves and posts are constructed of heavy-gauge carbon steel or stainless steel
- Load capacity: 2,000 lbs per unit

Features

- Antimicrobial product protection and stainless steel for corrosive environments
- Wire shelving can adapt to changing needs
- Shelves can be adjusted at 1" intervals along the entire length of the post

Standard Warranty

- Seven years or lifetime of products

Green Certification

Performance Specifications

Shelving - Plant - C17



Department of General Services

Standard Features

Frame

- Holds up to 48 sq. ft.
- Powder coated metal frame - rust resistant
- Accommodates adjustable shelves
- Holds up to 16 adjustable shelves
- Capacity 1,100 lbs.

Average Sizes:

- 36" w to 54" w
- 18" d to 24" d
- 60" d to 82" h

Shelves

- PVC-coated wire mesh - rust resistant

Casters

- Optional; 6" Heavy Duty - (2 fixed and 2 swivel)

Linking

- Two or more racks capable of linking together

Performance Specifications

Small Safe - C18

Standard Features

Average Dimensions

- 18 1/4" wide x 18" deep x 16" high

Frame

- Withstands one hour fire test at 1700°F
- Withstands 30 foot drop impact-resistance test
- Withstands 2000* explosion hazard resistance test

Features

- Textured finish for a scratch, scuff and stain resistant resistant surface

Warranty

- Lifetime warranty

Green Certification



Department of General Services

Performance Specifications

Project Storage Locker - C19



Department of General Services

Standard Features

Shell

- 16 gauge steel doors
- Multiple-Tiers
- Welded on 6" centers
- 16 gauge body parts
- 18 gauge back

Locking Mechanism

- Pull handle with built in padlock loop

Doors

- Ventilation mesh or molded
- Piano-type hinges
- 16 gauge doors
- minimum 12" x 12" x 12"

Painted Finish

- Powder coat finish

Warranty

- Life of the product

Green Certification

Performance Specifications



Sheet Music Cabinet -C20

Department of General Services

Standard Features

Average Dimensions

- 54" wide x 18" deep x 58" height
- Shelf - 17" wide x 17" deep

Frame

- Durable construction
- 18 gauge steel

Features

- Includes 72 shelves
- Shelves adjustable by 1.25" increments

Warranty

- 15 years

Performance Specifications

Clothes Rack - C21



Department of General Services

Standard Features

Frame

- Type 304 stainless steel construction
- Open-wire
- Adjustable stainless steel leveling feet provide floor mount free standing option
- (Optional casters)

Average Dimensions and Weight

- 24" w x 72" l
- Minimum 54 lbs

Warranty

- Lifetime

Performance Specifications



Cabinet - Flat File - C22

Department of General Services

Standard Features

Shell

- 18 gauge or stronger steel front back, sides, top and bottom
- Shells can be bolted together for stacking
- Shells can contain 5 to 10 drawers

Leveling glides

- Four threaded welded nuts to accept leveling glides that can be adjusted from inside or outside the cabinets.

Drawer

- Sound absorbing material inside the door to provide quiet operation
- Surface pull and label holder
- Effortless operation
- Double wall steel drawer front construction
- Central drawer locking mechanism
- Self Contained steel plan files
- Interior accessories clamping contents
- Securely attached bottom in all drawers
- Integral drawer pull

Standard Warranty

- Lifetime

Paint Finishes

- Paint is baked on to provide a scratch and stain resistant finish
- Medium to dark color to minimize stain and marks
- Interior shell is painted to match exterior color
- Interior components and accessories are painted in black finish

Drawer Suspensions

- Back of the drawer to extend clear of the front face of the cabinet
- Retaining device to hold the drawer in a closed position

Locks

- Steel latch fits all five or ten drawers

Average Dimensions: Five or Ten Drawer File cabinets:

Depth: 28" d to 42" d

Width: 40" w to 80" w

Height: 15 3/8" h

Bases: same depth and widths above and 6" h to 20" h

Tops: same depth and widths above and 3/4" h

Green Certification

Performance Specifications



Cabinet - Flammable - C23

Department of General Services

Standard Features

Shell

- Separate and identify Class III combustibles
- 1/2" shelf adjustment on numbered slots offer the ideal solution the wide variety
- Optional polyethylene shelf tray
- To resist aggressive chemicals, pesticide cabinets also include polyethylene trays attached to galvanized steel shelves and a polyethylene liner for the bottom shelf
- **Standard Cabinets:** Stand alone storage base for stackable compact cabinets
- **Compact Cabinets:** Hangable, stackable, or mountable
- Graphics on hazardous information
- Replaceable 2" deep trays offer additional protection with a slightly raised curved edge to contain spills

Average Measurements

- 30 gal. 43"x 18"x 44"
- 45 gal. 43"x 18"x 65"
- 12 gal. 25" 1/4 x 18" x 35"

Warranty

- Lifetime

Performance Specifications

Tables - T1



Department of General Services

Standard Features

Frame

- Consists of steel feet, legs, plugs and stretcher connectors
- Tubing will be 14 gauge
- Seamless round steel column
- Frame will have adjustable glides

Wire Management

- Leg wire ways will be scuff resistant, high impact and rigid

Top

- Vinyl "T" molding will be press fit into particle board core

Laminate

- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet

Green Certification

Optional Features

- waterfall edge

Pedestal Bases (according to top size below):

- T- style
- 29" and/or 36" h

Top Sizes

- 36" square
- 36" x 72" rectangular

Warranty

- Lifetime

Performance Specifications



Table- Computer/Printer - T2

Department of General Services

Standard Features

Frame

- Consists of 1-3/4" round tubular steel feet, legs plugs and stringer connectors
- Tubing will be 14 gauge steel
- Seamless tubular steel column
- Frame will have adjustable glides

Modesty Panels

- Panel will be faced on both sides with laminate

Top

- Waterfall edge detail to match laminate
- Gangable device for side to side table tops
- 1-1/8" thick high-density particleboard core covered with high pressure laminate backing
- Plastic Laminate

Edge:

- Waterfall front

Privacy Screens

- 11" to 23" high in durable material, as secure to top with clamp or screw

Wire Management

- Leg wire ways will be scuff resistant for high impact PVC plastic with two separate wire channels per leg recessed into the table top
- Plastic grommets will be 3" in overall diameter and rear center
- Under-Table Wire Harness will be made of easy-to-use

Cantilevered Legs

- Cantilevered legs can be used at either end of the table or shared leg
- Vertical wire way
- Data & cable entry from the floor or w wall in classes
- Casters available on free-standing units only

Top Sizes:

- 24" d x 36" w
- 24" x 72" w

Warranty

- Lifetime

Green Certification

Performance Specifications



Tables - Conference- T3

Department of General Services

Standard Features

Frame

- Consists of 1-3/4" steel
- T -leg for rectangular table top
- X back for 42" diameter table top
- Seamless round steel column
- Frame will have adjustable glides

Top

- Vinyl "T" molding edge will be press fit into particle.
- Plastic Laminate
- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet

Pedestal Bases (according to top size below):

X for round top and T base style for rectangular
Base Height: 29"h with top

Average Top Sizes

- 42" diameter
- 24" d x 72"w

Warranty

- Lifetime

Green Certification

Performance Specifications



Tables - Conference- T4

Department of General Service

Standard Features

Frame

- Consists of wire management to store voice data wiring from floor to top
- Frame will have adjustable glides
- Base Height 29" with top and access panel

Wire Management / Voice Data

Accessory

- Plastic grommets will be 3" in overall diameter and will be recessed into the table top
- Under-table wire harness will be made of easy-to-use Power/Communication Module. Hinges up when user requires power for laptops or telephone and folds when not in use. Includes two simplex electrical outlets with 6' cord, two open ports for data or voice. Data/voice adapter kit has inserts to accept your couplers and jacks. UL/CUL listed. Table cutout dimensions approx. are 4-1/2" x 6". Measures 5" x 7" overall. No hardwiring

Laminate Top

- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet
- Vinyl edge to compliment or match top
- Racetrack for maximum seating capacity

Green Certification

Optional Features

- Wood edge detail to match or complement plastic laminate top

Warranty

- Lifetime

Top Size:

- 42" w x 120" d (two pieces, if required)

Performance Specifications



Side and End Table - T5

Department of General Services

Standard Features

Overall

- Plastic Laminate top
- Steel cam and pin leg connection
- Variety of shapes and sizes available
- 1 3/4" thick tops
- 1 5/8" Solid wood edge

Legs

- Solid wood

Warranty

- Lifetime

Green Certification

Performance Specifications

Tables- Horseshoe - T6



Department of General Services

Standard Features

Frame

- Consists of 1-3/4" steel legs
- Tubing will be #4 gauge.
- Seamless round steel column
- Frame will have adjustable glides

Top

- Vinyl "T" molding edge will be press fit into particle board core
- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet
- Plastic Laminate

Green Certification

Optional Features

- 1 1/4" vinyl edge

Base

Adjustable 23" to 32"h (ADA)

Top Size

Depth: 42" d

Width: 72" w

Warranty

- Lifetime

Performance Specifications

Tables- Rectangular - T7



Department of General Services

Standard Features

Frame

- Consists of 1-3/4" steel feet and legs
- Tubing will be 14 gauge.
- Seamless round steel column
- Frame will have adjustable glides

Top

- Top overhang
- Plastic Laminate
- A 1-1/8" thick high-density particleboard core covered with high pressure laminate backing sheet

Green Certification

Optional Features

- 1 1/4" vinyl edge

Base

Adjustable 23" to 32" h (ADA)

Top Size

Depth: 24"d
Width: 48"w

Warranty

- Lifetime

Performance Specifications

Tables- Science - T8

Standard Features

Frame

- Two rectangular, front open compartments.
- For wooden legs with corner blocking - 29"h
- Black floor grips at the bottom of each wooden leg that stay secure when table is moved
- Chemical resistant frame
- 13 guage steel corner braces with hanger bolt, nut and lock.
- Adjustable glides for precise leveling

Top

- Chemical resistant top
- Screws underneath top for secure attachment

Green Certification



Department of General Services

Top Size

Depth: 24"d
Width: 72"w

Warranty

- Lifetime

Performance Specifications



Table - Round Cafeteria with Seats - T9

Department of General Services

Standard Features

Frame

- The table top support apron shall be 11-gauge channel steel or other bow resistant
- Horizontal and vertical tubing shall be of 14-gauge steel

Top and Benches

- Tables top and benches shall be of solid core
- Bow resistant tops
- High pressure laminate backer

Casters

- Large 4" diameter heavy-duty hand rubber swivel casters provide easy and safe maneuverability

Glides

- 1/2" long to prevent damage to floors

Green Certification

Average Dimensions

- Table height shall be 29"
- Table height shall be 27" Preschool and Elementary
- As specified

Standard Warranty

- Ten years

Edge

- Surface edge as a sealed barrier to moisture, dirt and bacteria penetration

Performance Specifications



Table - Rect. Cafeteria w Seats - T10

Department of General Services

Standard Features

Frame

- The table top support apron shall be 11-gauge channel steel or bow resistant without.
- Horizontal and vertical tubing shall be of 14-gauge steel.

Top and Benches

- Tables top and benches shall be of solid core nominal 3/4" thick.
- Bow resistant tops.

Casters

- Large 4" diameter heavy-duty hard rubber swivel casters provide easy and safe maneuverability.

Glides

- 1/2" long to prevent damage to floors.

Average Dimensions

- Table height shall be either 29"
- Rectangular table size refer to bid specifications.

Standard Warranty

- Ten years.

Edge

- Black polyurethane bonded to the table core and the laminate surface edge as a sealed barrier to moisture, dirt and bacteria penetration.

Green Certification

Performance Specifications



Table - Taping/Massage - T12

Department of General Services

Standard Features

Average Dimensions

- Height: 30"
- Plain Shelf: 20" x 66"
- Back Rest (Raises 80 degrees): 30" x 31"
- Body Section: 30" x 47"
- Top: 30" x 78"

Capacity

(otherwise)

Warranty

- 3 Year warranty

Frame

- Full 3" Maple hardwood legs for stability and strength

Green Certification

Top

- 34 oz. Heavy-duty vinyl
- 2" firm density foam tops
- Radused, seamless corners on upholstered components

Performance Specifications



Cot - F1

Department of General Services

Standard Features

Average Dimensions

- Height: 30"
- Plain shelf: 20" x 66"
- Back rest (Raises 80 degrees): 30" x 31"
- Body section: 30" x 47"
- Top: 30" x 78"

Frame

- Full 3" Maple hardwood legs for stability and strength

Top

- 34 oz. Heavy-duty vinyl with bacterial protection
- 2" firm density foam tops
- Radiused, seamless corners on upholstered components

Capacity

- 500 lb. Weight capacity (unless noted otherwise)

Warranty

- 3 Year warranty

Green Certification

Performance Specifications



Standing Choral Risers - F10

Department of General Services

Standard Features

Average Dimensions

- Width each 6'
- Rise of each step is 8"
- Depth of each step is 18"
- 42" high side rail
- Storage depth is 27" deep x 69" high x 72" long

Frame

- Formed and welded steel construction
- Sturdy back rail with crossbar

Top of steps

- Steps are covered with carpet

Additional Features

- Folds upright for storage and transport
- Fits through standard doorways
- 4th step kit to convert a 3-step to a 4-step

Warranty

- 5 Year warranty

Green Certification

Performance Specifications

Conductor's Stand - F12a



Department of General Services

Standard Features

Average Dimensions

- Width: 27"
- Depth: 21"
- Desk lip is 1" high

Frame

- 39 lbs
- Constructed of smoked polycarbonate
- Cast iron base

Features

- Wheeled base for easy transport
- Desk tilts from flat to vertical
- Height adjustable from 36" to 52.5"

Warranty

- 5 Year warranty

Green Certification

Performance Specifications

Conductor's Chair - F12b



Department of General Services

Standard Features

Average Dimensions

- Adjusts in height from 26.5" to 36.5"

Frame

- 30 lbs
- Chair frame constructed of 14-gauge steel
- 14-gauge steel foot rest
- 5 14-gauge steel legs

Top

- Seat and back are fabric over 2" foam padding

Features

- 170 degree swivel with locking feature
- Three pre-determined depth settings: conductor, string bass or percussion use

Warranty

- 5 Year warranty

Green Certification

Performance Specifications

Conductor's Podium - F12c



Department of General Services

Standard Features

Average Dimensions

- Base: 43" wide x 38" deep x 6" high
- Upper: 32" wide x 38" deep x 6" high

Frame

- Base is constructed of 14-gauge steel
- Edging is 16-gauge steel

Top

- Constructed of 5/8" plywood or plexiglass
- Covered with dark color durable carpet

Features

- Two 4" rubber casters recessed into front panel to move easily from room to room
- 36" high detachable guardrail of 16-gauge steel

Warranty

- 5 Year Warranty

Green Certification